

Questionnaire for Earthing and Short Circuiting Devices

To prepare an offer, please fill in this questionnaire as detailed as possible and return by fax, post or e-mail.

Fax +49 89 / 4 36 04 73




Post ARCUS ELEKTROTECHNIK Alois Schiffmann GmbH • Truderinger Straße 199 • 81673 Munich/Germany

E-mail info@arcus-schiffmann.com

Contact Information

Last Name	First name
Company	Department
Street, number	Zip code, town
Phone	Fax
E-mail	Web

Earthing point

Name / Location of the substation				
Place of use	☐ Overhead Line	☐ Substation	☐ Cable Distribution Cabinet	
Rated short circuit current / Rated time [kA/s]				
Construction of the earthing and short circuiting device				
1-pole 	2-pole 	3-pole 	4-pole 	Others Attached drawing

Earthing point (continued)

Cable cross section [mm²] (Phase)

Cable cross section [mm²] (Earth)

One-polar device

Required length of cable [mm]

Multi-polar device

Required length of phase cables [mm]

Required length of earthing cable [mm]

Phase connection details

Type ☐ Line ☐ Tube ☐ Ball point connector

☐ Flat conductor ☐ Other

Material ☐ Al ☐ Cu

Dimension [mm]

Earth connection details

Type ☐ Round ☐ Flat ☐ Ball point connector

☐ T-Bolt ☐ Other

Material ☐ Al ☐ Cu ☐ Other

Dimension [mm]

Earthing point (continued)

Earthing rod

☐ yes ☐ no

Model

☐ 1-part ☐ 2-part ☐ 3-part ☐ 4-part ☐ 5-part
☐ plug-in ☐ telescopic

Total length [mm]


.....

Maximum transport length [mm]


.....

Model bayonet head


Normal bayonet head




Spring bayonet head



Safety bayonet head



Safety bayonet head with locking



Accessories

☐ yes ☐ no

☐ Bag ☐ Case ☐ Wall holder ☐ Storage system

Others

.....

Others

Required quantity	Required delivery time
Language of documentation	Other

I agree that my data for contacting and queries will be permanently saved.

Date

Signature